

JAIPUR MUNICIPAL CORPORATION, JAIPUR

Based on the discussions in Pre bid meeting dated 11.12.09 and approval of the Purchase committee duly agreed by the Government of Rajasthan on Dated 12.01.10, Addendum in Bid document for supply of AHLP 48-50 Mtrs.(Bid reference JMC/Fire/ICB/1605 , original NIT No.JSA/09/451 date 16.11.09 and revised NIT no.476 dated 16.12.09) is circulated as follows-

S.N.	Bid Document Reference		Brief note on referred clause (Bid document)	Bid document (Bid reference JMC/Fire/ICB/1605) shall be read at each related point as follows
	Page No.	Clause		
1	2	3	4	7
1	1 24		Name of Work (Scope) tenders are floated for 48-50 Mtr.	Minimum 42 m cage bottom height AHLP shall be read every where in Bid document in place of previous requirement.
2	2 6	(Vi)	Regarding earnest money	Earnest Money may be allowed in form of Bank Guarantee. This bank guarantee should be from a bank duly recognized by RBI preferably a nationalized bank. Validity of BG shall remain for six months after expiry of the period of relevant activities.
3.	6 11	14 34	SD and Performance Security	In addition to the existing write up, validity period of the Bank guarantee for SD and performance security shall be for a period of six months after expiring of warranty period and / or expiry of the operation period of relevant activity.
4	5 9 17	11 24 16.2	Bid Currency	<p>1. In addition to Indian Rupee, Participating firms may also submit their proposal in form of Euro as per INCO terms. However, if any participating firm submits their proposal in Indian currency, they shall clearly indicate taxes in their financial bid.</p> <p>2. For the comparison of received financial proposals, the cost quoted in Euro shall be derived in term of Indian currency on the date of opening of financial bid.</p>

5	6 38	13.3 (b) 38-J	Documents establishing good eligibility 13.3(b) and Page 38-J-regarding O & M contract.	<p>1. Bidders are expected to submit their financial proposals for carrying out O & M, However bids shall be deemed responsive even if any firm does not submit their proposal for the same.</p> <p>2. AMC will be imparted by the bidders Essentially.</p>
6	11	35	Corrupt or fraudulent practice	Participating firms may submit undertaking as permissible in the rules & regulations of their country.
7	14	8.2	Inspection & tests by 3 rd party.	<p>1. Fader Loyeds or any internationally renowned inspecting agency may be appointed as IIIrd party inspector in final inspection with three JMC officials. Fees of iiird party inspector shall be paid by JMC. Expenses of JMC officials shall be borne by the bidder.</p> <p>2. During the manufacturing of the AHLP one time visit of Three JMC officials shall be held to suggest modification in the design according to ground conditions and to examine the process of manufacturing. Their expenditure shall be borne by the manufacturer.</p>
8	16 & 17	15	Warranty	<p>For chassis, this warranty shall remain up to the standard warranty period of the chassis manufacturer.</p> <p>However, for equipments (AHLP) this warranty shall remain same as stipulated in bid documents.</p>
9	17	16	16.2 and 16.3 Payment	<p>1. The payment should be made in form of letter of credit. The order should be effective from the date of opening of LC. 90% payment of the cost of machine and equipment should be made on submission of bill of shipping.</p> <p>2. JMC shall appoint CHA (Custom House Agent) on the recommendation of successful bidder. Successful bidder shall provide their expertise in executing requisite documentation. For appointment of CHA and other related works like custom duty, port charges, handling charges, DO charges, warehouse charges, and demurrage charges etc, all expenses shall be borne by JMC.</p> <p>3. Since CHA is being appointed in consultation with successful bidder therefore successful bidder shall ensure the delivery of AHLP with in 90 days from the date of shipping. Delay in this regard shall not be responsibility of JMC (except timely payment of bills)</p>

10	15 23	10 Section IV	10.1 Delivery Documents &	Date of delivery shall be ascertained on the date of shipping. This period shall not exceed to the period indicated in 'Schedule of requirement'. Physical date of delivery at Jaipur VKI fire station shall not be more than 90 days from the date of shipping. For this supplier shall be responsible.
11	24	1.2	Good should confirm the En 1777: 08 & EN 280:2001	EN 280: 2001 shall be deleted from complete bid document. In addition, only En 1777: 08 certified AHLP shall be considered for procurement.
12	24	1.1	Scope-Articulated boom-reg	This shall be dealt as of following correction in Page 26 clause 5.3. There shall be one main telescopic boom with minimum one number of articulated booms. However an independent fly boom unit with independent functioning control shall be provided.
13	25	2	Chassis	1.A 6 X 4 drive minimum 350 BHP 32 GVW Mercedes make chassis with both manual and automatic gear changing system chassis shall be supplied to mount equipment over it. 2. It shall be responsibility of the supplier that the finally manufactured vehicle (AHLP) is fit for registration in transport authority as per prevailing rules and regulations.
14	25	2.14 2.15 2.17	Chassis	Sr. No. 2.14, 2.15 & 2.17 shall be read as 2.3, 2.4 & 1.5 respectively
15	25	2.14 (2.3)	Chassis	For cabin, External panels' hot dip galvanization shall be allowed as per standard practice.
16	25	2.15 (2.4)	Chassis	In place of supplying 20T Jack, as per standard practice of the chassis manufacture.
17	25	3	Operating Requirement & Dimension of finished appliance	1.Working heights – shall be deleted 2. Min Height of working cage bottom- 42 Mtr. 3. Outreach at 400 KG cage load on 42 m height- Min. 22 Mtr. 4.Safe working load without water discharge–Min. 400 Kg 5. Safe working loads with monitor- Min. 200 Kg. In addition, other parameters shall remain unchanged.
18	26	5	5.3 Booms	This shall be dealt as of following correction in Page 26 clause 5.3. There shall be one main telescopic boom with minimum one number of articulated booms. However an independent fly boom unit with independent functioning control shall be provided. 2. The other booms shall provide an up and over capability of min. 8 M.

19	27	9	Stabilizing/ Jacking system.	9.1 For better corrosion protection standard practice may be allowed. 9.3 Provision of the ground sensor is not possible for each wheel and in line of clause 9.3 “correctly’ shall be read as ‘automatically’
20	28-29	11	Cage	1. 11.1 EN 280 is not applicable 11.2 For 11.2 Cage shall be fitted with at least three inward doors as per manufacturer design 11.3 Paragraph should be corrected as per Operating Requirement & Dimension of finished appliance.
21	29	13	Backup for the Hydraulic System	An additional auxiliary diesel driven system to back up the Hydraulic System should be incorporated in addition to the battery driven hydraulic pump.
22	32	18	Body work and equipment lockers	In Body work and equipment lockers No change in bid is required.
23	32	19	The Water system	Clause 19.6 is deleted.
24	34-35	27	Fire fighting main pump.	1. Line 7 to 9 of the clause is deleted 2. Sr.no .2 and 3 are deleted 3, Fire fighting main pump stipulated in Bid is required with the specifications laid in bid except line 7 to 9 of the clause, provision of remote throttle valve and Engine oil and coolant temperature indicator.
25	35	29	Accessories	10 th line of the clause should as 4 sets of fitment for safety belts with belts in cage and 12 th line for requirement of 4 pcs. Locking pins is deleted. Insignia of JMC may not be put on for only these suits.
26	36	30	Inspection, training & commissioning	Bid clause is itself explanatory for training of two officials at manufacture’s premise. This shall remain as it is. In addition to this, with one intermittent inspection one final inspection at the time of iii’rd party inspection (Total two) shall be carried out. Three JMC officials shall witness the inspection in all two inspections.
27	37	Sec. VI	Qualification criteria	No change in bid is required.
28	37	Sec. VI	Qualification criteria	Submission of at least 5 performance certificates for supply of similar or higher capacity AHLPL in last 3 years is relaxed for submitting certificates for supply of 32.0 to higher capacity.

29	37	Sec. VI	Qualification criteria	(l) Copies of documents to be submitted with qualifying bid shall be as per the standard practice for the foreign manufacturer. But the documents shall sufficiently establish the capability of the manufacturer for the proposed tender, failing which the bid shall be deemed non responsive.
30	1		Date of receipt and opening of the bid	Dates shall be as follows- 1.Last date and time for sale of bid-29.01.10 (Upto 11.0 AM) 2. Last date and time for receipt of bid-29.01.10 (Upto 03.0 PM) 3.Time and date of opening technical bid-29.01.10 (At04.0 PM)
31			Thermal imaging unit	Thermal imaging unit shall be equipped in the supplied AHLP so that rescue man may see behind the smoke.

**Chief Executive Officer
Jaipur Municipal Corporation**

